


RADIANT

RED BODY

VITACER

→ **MATT/GLOSS FINISH**

WHITE



FORMATO / SIZE	30X60 CM		
GRUPO / GROUP	BIII		
TIPO / TYPE	REVESTIMIENTO / WALL TILE		
DESCRIPCION DEL TEST / TEST DESCRIPTION	VALOR DEL TEST / TEST VALUE	NORMA / STANDARDVALUE	VITACER
ABSORCIÓN DE AGUA / WATER ABSORPTION	EV>10%	UNE-EN-ISO 10545-3	CUMPLE / PASSED
FUERZA DE ROTURA / BREAKING STRENGTH	> 600 N	UNE-EN-ISO 10545-4	CUMPLE / PASSED
RESISTENCIA A LA FLEXIÓN RESISTANCE OF FLEXION	> 12 N/MM2	UNE-EN-ISO 10545-4	CUMPLE / PASSED
ABRASION SUPERFICIAL / SURFACE ABRASION	-	UNE-EN-ISO 10545-7	N.A. / UNNECESSARY
RESISTENCIA AL CUARTEO / CRACKING RESISTANCE	REQUERIDO / REQUESTED	UNE-EN-ISO 10545-11	CUMPLE / PASSED
RESISTENCIA A LA HELADA / FROST RESISTANCE	REQUERIDO / REQUESTED	UNE-EN-ISO 10545-12	N.A. / UNNECESSARY
RESISTENCIA QUIMICA CHEMICAL RESISTANCE	(PRODUCTOS DOMESTICOS Y DE PISCINA / DOMESTIC & SWIMMING POOL PRODUCTS) MÍNIMO / MINIMUM B	UNE-EN-ISO 10545-13	CUMPLE / PASSED
RESISTENCIA A LAS MANCHAS RESISTANCE TO STAINS	MINIMO / MINIMUM CLASS 3	UNE-EN-ISO 10545-14	CUMPLE / PASSED